



All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-india.org

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for existing institutes only)

Regional office	Eastern
-----------------	---------

Application Id	1-2811701237
Permanent Id	1-492932031
Name of the Institute	DIBRUGARH UNIVERSITY INSTITUTE OF ENGINEERING AND TECHNOLOGY
Address	DIBRUGARH UNIVERSITY CAMPUS
City/Village	DIBRUGARH
District	DIBRUGARH
State	Assam
Pin	786004

	Name	Qualification	Appointment type	PhD
Principal/Director	MUKUL CHANDRA BORA	B.E (CIVIL), M.TECH, FIE, SR. MEMBER APCBEES	Regular	Yes

Overall Deficiency of Institute:	Yes
----------------------------------	-----

Other Details

Details of Requirement	Status provided by the Institute	Deficiency
List of faculty and data uploaded on the institute web portal	No	Yes
Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No

Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
Courses/Approved Intake displayed at the entrance of the institute?	Yes	No

Anti-Ragging Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Constitution of Anti-Ragging Committee	Yes	No
Constitution of Anti-Ragging Squad	Yes	No
Undertaking obtained from all Students	Yes	No
Appointment of Counselors	Yes	No
Undertaking obtained from parents of all the students	Yes	No
Undertaking obtained from students staying in Hostel:	Yes	No
Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Details of Requirement	Status provided by the Institute	Deficiency
Grievance Committee	Yes	No

Total Number of Students in Institute

Number of Students UG	960
Number of Students PG	36
Number of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)	996

Faculty

Institute Level Faculty

Type	Actual number	Required number as per CI	Deficiency
Total	36	67	Yes

Type	Actual number	Required number as per CI	Deficiency
Faculty(UG+PG+Diploma)			
Minimum 80% Regular Faculty	36	54	Yes

Program Level Faculty

Sr.Number	Course Unique Id	Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (15-16)	Approved Intake (14-15)	Approved Intake (13-14)	Approved Intake (12-13)	Approved Intake (11-12)	Faculty
1	1-1400491761	ENGINEERING AND TECHNOLOGY	ELECTRONICS & COMMUNICATION ENGG	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	10
2	1-1400491764	ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	10
3	1-1400491766	ENGINEERING AND TECHNOLOGY	PETROLEUM ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	8
4	1-1400491768	ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE & ENGINEERING	UNDERGRADUATE	4	FULL TIME	60	60	60	60	60	8
5	1-1537498934	ENGINEERING AND TECHNOLOGY	THERMAL AND FLUID ENGINEERING	POST GRADUATE	2	FULL TIME	18	18	18	18	0	3

Administrative Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Principal / Director Office	36	30	No
Central Store	76	30	No
Maintenance	39	10	No
Security	41	10	No
Housekeeping	41	10	No
Exam Control Office	38	30	No
Placement Office	61	30	No
Office All Inclusive	256	150	No

Amenities Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	137.55	75	No
Girls Common Room	90	75	No
Cafeteria	322	150	No
Stationery Store	96	10	No
First aid cum Sick Room	74	10	No

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth	100	16	No
Printers	14	17	Yes
A1 size Color Printers	0	0	No
Legal Application S/W	351	20	No
Legal System S/W	81	3	No
PCs to Student ratio	351	169	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	12564	9500	No
Titles	4166	1550	No
National Journals	30	29	No
Library Management Software	1	1	No
Reading Room Capacity	85	150	Yes
MultiMediaPC	5	10	Yes

Instructional Area-Common Facilities

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Computer Center	170	150	No
Library & Reading Room	618	400	No

Land Area Details

Type	Actual Room Area (Acres)	Expected Room Area (Acres)	Deficiency
Total Area of Land	504	7.5	No
Maximum number of Pieces	1	3	No
Minimum per Piece of Area	504	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room- Tutorial Room	UNDER GRADUATE	2638	891	No
Tutorial Rooms - PG	POST GRADUATE	0	66	Yes
Laboratories-All	UG/PG	2140	2772	Yes
Workshops	UG/PG	888	200	No
Drawing Halls	UG/PG	300	132	No
Seminar Hall	UG/PG	594	396	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

Other Facilities

Type	Availability	Deficiency
All Weather Approach (Motorised Road)	Yes	No
Barrier free Environment	Yes	No
Electric Supply	Yes	No
General Insurance	Yes	No
Institution Web Site	Yes	No
Language laboratory (Minimum 25 PCs up to total intake of 1000. Further additional 25 PCs per intake of 1000)	Yes	No
Medical & Counseling	Yes	No
Notice Boards	Yes	No
Potable Water Supply	Yes	No
Safety Provisions	Yes	No
Sewage Disposal System	Yes	No
Telephone & FAX	Yes	No
Vehicle Parking	Yes	No
First Aid	Yes	No
Appointment of Student Counsellor	Yes	No
Establishment of Anti Ragging committee	Yes	No
Establishment of committee for SC/ST	Yes	No
Establishment of Internal Complaint Committee (ICC) As per section 4 of Sexual Harassment of Women at Workplace (Prevention, Prohibition and	Yes	No

Type	Availability	Deficiency
Redressal) Act,2013		
Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2016-2017

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	100	16	No
Printers-Applied Intake	14	17	Yes
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	351	20	No
Legal System S/W-Applied Intake	81	3	No
PCs to Student ratio-Applied Intake	351	169	No

Library Facilities

Type	Available	Required	Deficiency
Volumes	12564	9500	No
Titles	4166	1550	No
National Journals	30	29	No
Library Management Software	1	1	No
Reading Room Capacity	85	150	Yes
MultiMediaPC	5	10	Yes

Instructional Area

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2638	891	No
Tutorial Rooms - PG	POST GRADUATE	0	66	Yes
Laboratories-All	UG/PG	2140	2772	Yes
Workshops	UG/PG	888	200	No
Drawing Halls	UG/PG	300	132	No
Seminar Hall	UG/PG	594	396	No

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable
Information regarding intake applied

Sr Num	Course Unique Id	Program	Course	Level	Shift	Approved Intake 15-16	Intake Applied 16-17	Application type	Accreditation status	NRI	PIO	Foreign Collaborati
1	1-1400491761	ENGINEERING AND TECHNOLOGY	ELECTRONICS & COMMUNICATION ENGG	UNDERGRADUATE	1st Shift	60	60	EoA Only	NOT ACCREDITED	Not interested	Not interested	Not interested
2	1-1400491764	ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	UNDERGRADUATE	1st Shift	60	60	EoA Only	NOT ACCREDITED	Not interested	Not interested	Not interested
3	1-1400491766	ENGINEERING AND TECHNOLOGY	PETROLEUM ENGINEERING	UNDERGRADUATE	1st Shift	60	60	EoA Only	NOT ACCREDITED	Not interested	Not interested	Not interested
4	1-1400491768	ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE & ENGINEERING	UNDERGRADUATE	1st Shift	60	60	EoA Only	NOT ACCREDITED	Not interested	Not interested	Not interested
5	1-1537498934	ENGINEERING AND TECHNOLOGY	THERMAL AND FLUID ENGINEERING	POSTGRADUATE	1st Shift	18	18	EoA Only	NOT ACCREDITED	Not interested	Not interested	Not interested

DECLARATION
BY THE PRINCIPAL/DIRECTOR OF THE INSTITUTE

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 27th September 2012, published in the Gazette of India - Extraordinary Part 3, Section (iv) and also the various provisions mentioned in the Approval Process Hand Book 2016-17.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision of correction for data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Dual Degree course, Integrated Course, Change of site, Closure of course, Supernumerary Seats under PIO/FN, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa(as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2016-17.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that the institute is eligible for grant of Extension of Approval, Increase/Reduction of intake, Addition of new courses, Closure of course, supernumerary seats under PIO/FN, NRI, Change of name, Dual Degree course, Integrated course, Change of site, Conversion of women institute into Co-ed institute and vice versa (as applicable) only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2016-17.

(Principal/Director)