

**OFFICE OF THE REGISTRAR :: DIBRUGARH UNIVERSITY
DIBRUGARH :: ASSAM
PIN: 786 004**



BID DOCUMENT

FOR

NAME OF THE WORK: Supply, installation and commissioning of Line Matrix and Laser Printer at Dibrugarh University.

TENDER No: DU/NIT-2022/File-V/102 dated 04.04.2022

CUT-OUT SLIP

NAME OF THE WORK: Supply, installation and commissioning of Line Matrix and Laser Printer at Dibrugarh University.

TENDER No: DU/NIT-2022/File-V/102 dated 04.04.2022

SUBMISSION DUE DATE & TIME : 20.04.2022 up-to 11.00 A.M.

FROM:

NAME:
ADDRESS

TO:

THE REGISTRAR
DIBRUGARH UNIVERSITY
DIBRUGARH, ASSAM

(To be pasted on the outer envelope containing "Technical"& "Commercial" bids



OFFICE OF THE REGISTRAR :: DIBRUGARH UNIVERSITY :: DIBRUGARH

No. DU/ NIT-2022/File-V/102

Date: 04.04.2022

Tender Notice

Sealed Tenders are invited from reputed manufactures/authorized dealers/suppliers for **Supply, installation and commissioning of Line Matrix and Laser Printer at Dibrugarh University**. Detailed specification of the items, terms & conditions etc are given at Part-B. Last date of submission of Tender with all relevant papers is **20.04.2022 up-to 11:00 A.M.** to be submitted at the Office of the Registrar, Dibrugarh University, Dibrugarh, Assam.

Availability of Bid papers	From 04.04.2022
Last date for receipt of Bid	20.04.2022 upto 11:00 A.M.
Time & Date of opening of Bid	20.04.2022 at 02:30 P.M.
Place of opening of Bid	Office of the Registrar, DU
Cost of Tender Document	500/- Non refundable
EMD	2.5 % of the Tender value

The tender should be submitted in two separate sealed envelopes *i.e.* **Part - I** TECHNICAL BID and **Part – II** FINANCIAL BID. The technical bid shall be opened on above mentioned date and time and the financial bid of only those bidders who qualify in technical bid shall be opened on the same date or at a later date which shall be intimated to the tenderer whose technical bid are found to be valid. Dibrugarh University reserves all the rights to reject any or all the tenders without assigning any reason thereof.

Sd/-
Registrar
Dibrugarh University

Copy to:

1. The Deputy Registrar (F&A) i/c, D.U. for information.
2. The Programmer, D.U., with a request to upload the NIT at D.U. website.
3. Office File

Sd/-
Registrar
Dibrugarh University

PART A - TERMS AND CONDITIONS

GENERAL INFORMATION

The tender bids duly complete in all respects, along with the necessary documents should be submitted to the Registrar, Dibrugarh University, Assam. The Technical Bids so received, shall be opened on **20.04.2022 at 02:30 P.M.** in the Office of the Registrar, Dibrugarh University in the presence of the representatives of the bidders. The Financial Bids of the Tenderers shall be opened on the same date or at a later date to be intimated to the Tenderers whose Technical Bids are found to be valid. Right to reject any or all Tenders, without assigning any reason thereof is reserved by Dibrugarh University.

Terms and Conditions of Supply:

1. All the manufacturers/ authorized dealers should also give a brief profile about their company and the facilities available with them of the quoted items. Their turnover and important firms/ Government Institutes/ P.S.U.s etc. to which they are supplying quoted items, should also be mentioned.
2. The last date and time for the submission of the bids is **20.04.2022 up-to 11:00 A.M.**
3. Suppliers shall submit the following documents along with their quotations:
 - i) VAT/TIN/GST Registration No.
 - ii) Technical specifications offered by the Supplier.
 - iii) The bidder must submit a detailed compliance statement clearly mentioning compliance with the specifications mentioned in the NIT document and deviation if any.
 - iv) Technical literature regarding the offered products including pictures/sketch/diagrams etc.
4. The rates should be mentioned in the **FINANCIAL BID** attached with the Tender Document as **ANNEXURE-II**. Each page of the tender shall be signed in full and stamped with the seal by the supplier. The supplier must clearly state in what capacity he/she is signing the Tender.
5. The supplier shall submit the tender in 02 (two) envelopes. The first envelope (Technical Bid) shall contain all the following documents and be sealed.
 - Filled in Format Technical Specifications/Literature
 - Valid copy of Trade License,
 - PAN Card,
 - Registration certificate of GST,
 - Dealership/Manufacturing/Small Scale Industry (SSI) Certificate (if any)
 - The cost of tender of Rs. 500/- (Rupees five hundred) only which is non-refundable, along with the Earnest Money of 2.5 % of the Tender value in the form of Demand Draft/Bankers Cheque in favour of the Registrar, Dibrugarh University, Assam payable at Dibrugarh University.
6. Supplier should read carefully all the instructions and terms and conditions, etc before registering rates in prescribed schedule of the tender. Taxes and duties etc. should be shown separately.
7. The Technical Documents shall be opened, at **02:30 P.M. on 20.04.2022** or on the next working day if the offices of the University remain closed due to any reason
8. Technical specifications of the instruments/equipments are given in **Annexure** to these papers (Part B).
9. The delivery and installation should be completed within 1 month or as specified from placing of the order. No extension shall be granted to the contractors/suppliers for the period of delivery, under any circumstances.

10. If the supplier fails to deliver the article as per the delivery schedule, the University shall be free to procure the balance/undelivered supply, at the risk and cost of the supplier, from other such suppliers.
11. The goods, articles, materials supplied by the supplier shall be accepted after inspection by an officer authorized by the competent authority. No articles/materials which do not conform to the specifications laid down in the terms and conditions or damaged in transit shall be accepted.
12. The bills of the suppliers shall be paid by the University after all the materials/articles/equipments have been received and installed, inspected as above.
13. Vendor must submit Compliance statement in tabular form comparing each specification of the quoted item with that given in the Tender Document **Part - B**.
14. The warranty period shall be for 3 years (onsite) for the main instrument.
16. The tendering firm must provide proof of documents for executing similar works earlier.
17. In the event of any breach of the terms and conditions of the supply, the University may terminate the contract placed with the supplier and forfeit the security deposit of the supplier.
18. Whether OEM or Authorized Distributor/ Dealer a letter or a valid certificate of authorization of manufacturer shall be enclosed.
19. Copy of product literature and catalogue, testing report, BEE rating, ISO etc.
20. The quantity as mentioned at Part-B (Specifications) may be increased or decreased at the time of placing Order as per requirement.
21. Tenderers are advised to study all technical and commercial aspects, instructions, forms, terms and specifications carefully in the tender document. Failure to furnish all information required in the Tender Document or submission of a bid not substantially responsive to the Tender document in every respect will be at the tenderer's risk and may result in the rejection of the bid.
22. This tender document is not transferable.
23. The tendering firm must have permanent establishment in Assam.

Note:

- (a) Tenderers are advised to read carefully the Terms and Conditions of supply before recording the rates in this Schedule.
- (b) No erasures or overwriting shall be allowed, unless they are authenticated under the full signature and the seal of the tenderer.
- (c) The University reserves the right to:
 - (i) Accept/reject any/all tenders without assigning any reason thereof.
 - (ii) Revise the quantities at the time of placing the order without change in the rate quoted by the bidder.
 - (iii) Add/modify/relax or waive any of the conditions stipulated in the tender document whenever deemed necessary
 - (iv) Award the contract to one or more tenderers for the items covered by the tender.

ITEM No	DESCRIPTION OF GOODS WITH DETAILS OF SPECIFICATIONS	Unit Price	Taxes	Qty.	Total Amount
1					
2					
3					

Signature of the Tenderer
Seal of the Firm

1. Specification for Line Matrix Printer

Sl No.	Particulars	Quantity
01	<p>Printer Enclosure Format: Open Pedestal, Standard Features & Options Integrated Print Management: Standard, Ribbon Life Monitor: Standard; Black back forms paper out sensor: Option; High rear paper tray: Option; Low rear paper tray: Standard; Acoustic Shroud: Option; Dimensions: Without Basket; Height: 35.9" (911.8mm); Width: 25.8" (655.3mm); Depth: 29.1" (739.1mm); Printer Weight: 115lbs (52.1Kg); Shipping Printer Weight: 165lbs (74.8kg); Acoustic Noise (dBA) per ISO 7779: 65.5; High Speed (Draft): 1000 / 856; Data Processing: 750 / 600; Near Letter Quality: 400 / 306; Graphics Speed- 60 x 48 dpi: 125 (3175); 60 x 72 dpi: 83 (2108); 90 x 96 dpi: 42 (1067); Paper Feed Speed; Speed: 20 (508); Connectivity / Interfaces – Standard: USB 2.0 and Serial RS-232; Connectivity / Interfaces – Optional: Ethernet - 10/100 Base T, Parallel - IEEE-1284 Centronics; Character Pitch (Characters Per Inch): 10, 12, 13.3, 15, 16.7, 17.1, 20; Line Spacing (Lines Per Inch): 6, 8, 10.3, n/72, n/216; Graphics Resolution: 180 dpi Horizontal, 144 dpi Vertical (max); Dot Size: 16.7 mil (.42mm); Emulations – Optional: ANSI, IPDS, PCL 2, DEC LG, TN5250/TN3270, Graphics emulation PGL and VGL; Character Sets: 99 plus character sets including ECMA Latin 1, DEC Multinational, IBM Page Code 437 and 850, OCR A, OCR B, UTF8 encoded Unicode; Character Styles: Bold, italic, double wide, double high, overstrike, underline, subscript and superscript; Fonts: NLQ Serif, NLQ Sans Serif, Data Processing, High Speed, OCR A, OCR B; Bar Codes: 30 resident symbologies, including Code 39, EAN 8/13, UPC A/E, Intelligent Mail, Postnet, Royal Mail, Interleaved 2 of 5, PDF 417, Data Matrix; Printer Drivers: Microsoft Window XP/Vista/2003/2008/7, Linux; Power Voltage: AC input range 100-240 VAC, 50/60 Hz; Power Consumption (Typical - Maximum): 300 watts, Max 320 watts; Power Consumption: Less than 5 watts; Operating Temperature: Environmental Operating Temperatur 50° to 104° F, 10° to 40° C; Paper Type: Continuous, fan folded, edge-perforation; Print Width: 13.6" (345mm); Media Copies: Up to 6 part; Media Length: 3" (76mm) to 12" (305mm); Media Width: 3" (76mm) to 17" (432mm); Media Weight Single Ply: 15 lb. Bond to 100 lb. Tag (56 to 163gm/M²); MTBF: 10,000 hours at 25% duty cycle and 25% page density; Consumable / Ribbons - Standard Life: 17.000 pages; Consumable / Ribbons - Extended Life 30,000 pages; Warranty: 3 years onsite Preferred Brand: Printronix or equivalent</p>	01

2. Specification for Laser Printer with additional paper tray

SI No.	Particulars	Quantity
01	<p>Print speed: Up to 65 ppm; Printer page yield: Average black declared yields based on ISO/IEC 19752 and continuous printing; First page out (ready) black: As fast as 5.0 sec; Resolution (black): Up to 1200 x 1200 dpi; Resolution technology: Normal FastRes 1200; Fine Lines (1200 x 1200 dpi), Quickveiw (300 x 300 dpi), Economode (600 x 600 dpi); Monthly duty cycle: Up to 275,000 pages; Recommended monthly page volume: 5000 to 25000 [12]; Print Technology: Laser; Display: 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle); Processor speed: 1.2 GHz; Number of print cartridges: 1 (black); Automatic paper sensor: No; Paper trays: Up to 6; Minimum system requirements: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com; 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Compatible operating systems: Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS; Memory: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed, Hard disk: Optional, 500 GB (with accessory B5L29A); Paper handling input: 100-sheet multipurpose feeder, 550-sheet input feeder; Paper handling output: 500 sheet output bin; Duplex printing: Automatic (standard); Finished output handling: Sheetfed; Media sizes supported: 100-sheet multipurpose Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS), Envelope: B5, C5, C6, DL; 550-sheet input Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); 550-sheet optional feeder: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273), Postcard (JIS), Dpostcard (JIS); 2000-sheet optional HCI: A4; 75-sheet optional envelope feeder: B5, C5, C6, DL; Media sizes: 100-sheet multipurpose Tray 1: 3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 3.9 x 5.8 to 8.5 x 14 in; 550-sheet optional feeder: 3.9 x 5.8 to 8.5 x 14 in; 75-sheet envelope feeder: 3.5 x 5.8 to 7 x 10 in; Media types: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Supported media weight: Automatic Duplexer: 16 to 32 lb; Media weights by paper path: Tray 1: 60 to 200 g/m²; Automatic Duplexer: 60 to 120 g/m²; Power: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.; Power consumption: 821 watts (printing), 14.98 watts (ready), 4.28 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) [4]; Energy efficiency: ENERGY STAR® qualified; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only); Operating temperature range: 50 to 91°F; Operating humidity range: 30 to 70% RH; Warranty: One-year onsite warranty.</p> <p>Specification of Additional Paper Tray:---</p> <ul style="list-style-type: none"> • 550 sheet paper tray • Allows longer printing without reloading paper • Supports paper sizes from A6 to legal <p>Preferred Brand: HP or equivalent</p>	01

Signature: Date.....

Name :.....

Address :.....

.....

Mobile No.....