OFFICE OF THE REGISTRAR :: DIBRUGARH UNIVERSITY DIBRUGARH :: ASSAM PIN: 786 004



BID DOCUMENT

FOR

NAME OF THE WORK: Supply, installation and commissioning of a Server under SERB SURE Project, Department of Physics at Dibrugarh University.

Re-TENDER No: DU/NIT-2024/File-VII/226 dated 07/06/2024

CUT-OUT SLIP

NAME OF THE WORK: Supply, installation and commissioning of a Server under SERB

SURE Project, Department of Physics at Dibrugarh University

Re-TENDER No: DU/NIT-2024/File-VII/226 dated 07/06/2024

SUBMISSION DUE DATE & TIME : 10/07/2024 up-to 11.30 A.M.

FROM: TO:

NAME: THE REGISTRAR

ADDRESS DIBRUGARH UNIVERSITY

DIBRUGARH, ASSAM

(To be pasted on the outer envelope containing "Technical" & "Commercial" bids



OFFICE OF THE REGISTRAR :: DIBRUGARH UNIVERSITY :: DIBRUGARH

No. DU/ NIT-2024/File-VII/226

Re-Tender Notice

Sealed Tenders are invited from reputed manufactures/authorized dealers/suppliers for Supply, installation and commissioning of a Server under SERB SURE Project, Department of Physics at Dibrugarh University. Detailed specification of the items, terms & conditions etc are given at Part-B. Last date of submission of Tender with all relevant papers is 10/07/2024 up-to 11:30 A.M. to be submitted at the Office of the Registrar, Dibrugarh University, Dibrugarh, Assam.

Availability of Bid papers	From 07/06/2024
Last date for receipt of Bid	10/07/2024 upto 11.30 A.M.
Time & Date of opening of Bid	10/07/2024 at 02:30 P.M.
Place of opening of Bid	Office of the Registrar, DU
Cost of Tender Document	1000/- (Non refundable) + 18% GST
EMD	Rs. 15,000.00

The tender should be submitted in two separate sealed envelopes *i.e.* **Part - I** TECHNICAL BID and **Part - II** FINANCIAL BID. The technical bid shall be opened on above mentioned date and time and the financial bid of only those bidders who qualify in technical bid shall be opened on the same date or at a later date which shall be intimated to the tenderer whose technical bid are found to be valid. Dibrugarh University reserves all the rights to reject any or all the tenders without assigning any reason thereof.

Sd/-**Registrar** Dibrugarh University

Date: 07/06/2024

Copy to:

- 1. The Chairperson, Tender Opening Committee, D.U. for information.
- 2. The Deputy Registrar (F&A) i/c, D.U. for information.
- 3. The Programmer, D.U., with a request to upload the NIT at D.U. website.
- 4. Office File

Sd/-Registrar Dibrugarh University

PART A - TERMS AND CONDITIONS

GENERAL INFORMATION

The tender bids duly complete in all respects, along with the necessary documents should be submitted to the Registrar, Dibrugarh University, Assam. The Technical Bids so received, shall be opened on 10/07/2024 at 02:30 P.M. in the Office of the Registrar, Dibrugarh University in the presence of the representatives of the bidders. The Financial Bids of the Tenderers shall be opened on the same date or at a later date to be intimated to the Tenderers whose Technical Bids are found to be valid. Right to reject any or all Tenders, without assigning any reason thereof is reserved by Dibrugarh University.

Terms and Conditions of Supply:

Qualifying Criteria:

- i. The bidder should be a manufacturer of nationally / internationally reputed brand or its authorized dealer / distributor. Either the bidder or the manufacturer shall have experience in dealing with the similar kind of supply and installation at central govt./ state govt. / institute of national importance / educational & research institutes for last three years. A copy of the purchase orders received from any of the institutes during the last three years along with satisfactory completion certificate from the user (s) should be submitted.
- ii. All the quotations must be supported by technical leaflet/ literature and the specifications mentioned in the quotation must be reflected / supported by such technical leaflet / literature.
- iii. Dealers or agents quoting on behalf of manufacturer must submit valid authorization certificate.
- 2. The last date and time for the submission of the bids is 10/07/2024 up-to 11:30 A.M.
- 3. The bidder must offer all items and accessories mentioned in the specifications (Annexure-II) and mandatorily comply with all terms and conditions mentioned.
- 4. Suppliers shall submit the following documents along with their quotations:
 - i) VAT/TIN/GST Registration No.
 - ii) Technical specifications offered by the Supplier.
 - iii) The bidder must submit a detailed compliance statement clearly mentioning compliance with the specifications mentioned in the NIT document and deviation if any.
 - iv) Technical literature regarding the offered products including pictures/sketch/diagrams etc.
- 5. The rates should be mentioned in the **FINANCIAL BID** attached with the Tender Document as **ANNEXURE-II**. Each page of the tender shall be signed in full and stamped with the seal by the supplier. The supplier must clearly state in what capacity he/she is signing the Tender.
- 6. The supplier shall submit the tender in 02 (two) envelopes. The first envelope (Technical Bid) shall contain all the following documents and be sealed.
 - Filled in Format Technical Specifications/Literature
 - Valid copy of Trade License or Certificate of Incorporation or Partnership Deed.
 - PAN Card,
 - Registration certificate of GST,
 - Dealership/Manufacturing/Small Scale Industry (SSI) Certificate (if any)
 - The cost of tender of Rs. 1000.00 (Non refundable) + 18% GST, along with the Earnest Money of Rs. 15,000.00 (Rupees Fifteen thousand) only in the form of Demand Draft/Bankers Cheque in favour of the Registrar, Dibrugarh University, Assam payable at Dibrugarh University.
 - The Firm(s) who are registered with MSME, National Small Industries Corporation (NSIC) /OR Small Scale Industries (SSI) are exempted to submit the Tender Cost/EMD. However, a copy of registration must be provided along with Technical Bid.
- 7. Supplier should read carefully all the instructions and terms and conditions, etc before registering rates in prescribed schedule of the tender. Taxes and duties etc. should be shown separately.

- 8. The Technical Documents shall be opened, at 02:30 P.M. on 10/07/2024 or on the next working day if the offices of the University remain closed due to any reason.
- 9. Technical specifications of the instruments/equipments are given in **Annexure I** to these papers (Part B).
- 10. The delivery and installation should be completed within 1 month or as specified from placing of the order. No extension shall be granted to the contractors/suppliers for the period of delivery, under any circumstances.
- 11. If the supplier fails to deliver the article as per the delivery schedule, the University shall be free to procure the balance/undelivered supply, at the risk and cost of the supplier, from other such suppliers.
- 12. The goods, articles, materials supplied by the supplier shall be accepted after inspection by an officer authorized by the competent authority. No articles/materials which do not conform to the specifications laid down in the terms and conditions or damaged in transit shall be accepted.
- 13. The bills of the suppliers shall be paid by the University after all the materials/articles/equipments have been received and installed, inspected as above.
- 14. Vendor must submit Compliance statement in tabular form comparing each specification of the quoted item with that given in the Tender Document **Annexure III**
- 15. The tendering firm must provide proof of documents for executing similar works earlier.
- 16. In the event of any breach of the terms and conditions of the supply, the University may terminate the contract placed with the supplier and forfeit the security deposit of the supplier.
- 17. Whether OEM or Authorized Distributor/ Dealer a letter or a valid certificate of authorization of manufacturer shall be enclosed.
- 18. Copy of product literature and catalogue, testing report, BEE rating, ISO etc.
- 19. The quantity as mentioned at Part-B (Specifications) may be increased or decreased at the time of placing Order as per requirement.
- 20. Tenderers are advised to study all technical and commercial aspects, instructions, forms, terms and specifications carefully in the tender document. Failure to furnish all information required in the Tender Document or submission of a bid not substantially responsive to the Tender document in every respect will be at the tenderer's risk and may result in the rejection of the bid.
- 21. The Bidder should not have been blacklisted in anywhere in India or abroad. A self –declaration letter by the Bidder on the company's letter head should be submitted along with technical bid.
- 22. The tenderer must have permanent establishment in Assam.
- 23. This tender document is not transferable.
- 24. Contact details: Office of the Registrar, Dibrugarh University, Dibrugarh 786004. Phone: 0373 2370231, E-mail: registrar@ dibru.ac.in

Bidder Eligibility Criteria:

- 1. The OEM must have a service center in Assam (documentary evidence to be submitted).
- 2. The bidder must have service center (Office/Dealers etc.) situated in Assam for at least five years. The same must have a well-trained OEM certified team of Service personals (proper details need to be enclosed with the technical bid).
- 3. The bidder should submit an Undertaking confirming that they will maintain and provide after sales support for the entire warranty period in bidder letterhead with sealed and signed.
- 4. OEM should be an established vendor with presence in India for the last 10 years or more. (Proper documents need to be enclosed with the technical bid)
- 5. The Data sheets documents and technical documents submitted should be available on the global websites of the respective manufacturer and the URL links to the respective documentation should be provided in the compliance statement.
- 6. With reference to the Rule 144 (xi) of GFR 2017 updated 31/07/23, the bidder/OEM shall not be from a country or countries, or a class of countries, which have land border issue with India.
- 7. Bidder should provide tender specific authorization letter from OEM for all the items by mentioning NIT no in OEM letterhead with the technical bid.

Note:

- (a) Tenderers are advised to read carefully the Terms and Conditions of supply before recording the rates in this Schedule.
- (b) No erasures or overwriting shall be allowed, unless they are authenticated under the full signature and the seal of the tenderer.
- (c) The University reserves the right to:
- (i) Accept/reject any/all tenders without assigning any reason thereof.
- (ii) Revise the quantities at the time of placing the order without change in the rate quoted by the bidder.
- (iii) Add/modify/relax or waive any of the conditions stipulated in the tender document whenever deemed necessary
- (iv) Award the contract to one or more tenderers for the items covered by the tender.

ITEM No	DESCRIPTION OF GOODS WITH DETAILS OF SPECIFICATIONS	Unit Price	Taxes	Qty.	Total Amount
1					
2					
3					

Part - B (Specifications):
Supply, installation and commissioning of a Server under SERB SURE Project, Department of Physics at Dibrugarh University.

1. High End Workstation

Sl No	Parameter	Minimum required specification	
1	Form factor	Tower	
2	Processor	1xIntel Xeon W7-2495X (2.5 GHz base frequency, up to 4.6 GHz with Intel Turbo Boost Technology, 45 MB L3 cache, 24 cores, 48 threads)	
3	Chipset	Intel compatible chipset with 8 DMI lanes, x1,x2,x4 PCI express configuration and 28 PCI express lanes	
4	RAM	64 GBECC, DDR5, 4800 ECCmemory, supporting up to 512 GB ECC RAM System should support 8 DIMM slots.	
5	Hard Disk	2x 2TB 7200 RPM HDD, Option for future expansion of additional Hard drives	
6	Solid State Drive	512 GB Solid State Drive, 6Gb/s	
7	Optical Drive	Slim DVD ROM	
8	Slots	(a) 1 PCIe 5 x16; (b) 2 PCIe 4 x16; (c) 2 PCIe 4 x4 (Rear bulkhead access can be achieved through all slots but 2 PCIe 4 x8, and 2 PCIe 4 x8 are internal access only for M.2 (1 PCIe 4 x16 available when 2nd CPU is not installed; 1 PCIe 3 x16 available only when 2nd CPU is installed).)	
9	Ports	Front:2 SuperSpeed USB Type-C 20Gbps signaling rate (USB Power Delivery); 2 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headset/microphone combo Rear: 1 RJ-45; 1 audio-in/out	
10	Bays	Internal: One 3.5"; Four PCIe® M.2 SSD; Three 3.5" HDD	
11	Keyboard and Mouse	Minimum 104 keys USB Keyboard and USB Optical Scroll mouse – Same make as that of the workstation (No stickers/paint will be allowed)	
12	Audio	High Definition Integrated Audio with Internal speaker.	
13	Monitor	TCO 7.0, Epeat gold, Energy star certified 23.8-inch monitor (Same make as workstation), with resolution of 1920 x 1080 (FHD) (No stickers/paint will be allowed)	
14	Power Supply	Minimum 1125W (@100V/15A or 200V/10A)with minimum 90% Efficient Power supplywith 80 plus Gold compliant. (Delta Efficiency report should be enclosed) EPEAT certification for the system model. (EPEAT certificate should be enclosed with the technical bid)	
15	Dust Filter	OEM should provide serviceable dust filter for avoid workstation failures due to dust and it should be	

		connected into the workstation. (Part code should be
	mention in the technical compliance)	
16	Operating System	Linux Operating system
17	Chassis	Tool-less internal chassis mechanisms.
18	OEM Criterial	Quoted OEM must have service centers in Assam and
	quoted OEM have presence in India for minimum	
		years.
19	Authorization	Bidder should enclose tender specific authorization
		certificate by mentioning NIT no in OEM letterhead
20	Warranty	3 years onsite parts and labor warranty for system and
	,	monitor
	3 KV/	A online UPS with 1872 VAH
Sl No	Parameter	Minimum Required Specification
	C	3 KVA On-Line UPS Should have IGBT BOTH
1	Configuration and	INVERTER & RECTIFIER STAGE, inbuilt cold start
	capacity	function and 3 KVA & 0.80
2	Tashnalasy	HIGH FREQUENCY DOUBLE CONVERSION
2	Technology	DESIGN , EMI /RFI NOISE FILTER
3	Operating Voltage	110-300 VAC (Based on load at 50%), 160-300 VAC
3	Range	(Based on load at 100%)
4	Operating Frequency	46 - 54 ±0.5Hz OR 56 -65 ±0.5Hz AUTO SENSING
4	Range (HZ)	40 - 34 ±0.3112 OR 30 -03 ±0.3112 AO 10 SENSINO
5	Output Voltage	220/230/240 ±1%
6	Output Frequency	50 Hz/ 60 Hz ±0.2% ON BATTERY MODE
7	Overload Capacity	>110%, 30 SECNDS TURN TO BYPASS MODE
		,>150% 300 MILI SECNDS TURN TO BYPASS MODE
8	Efficiency	>91%
9	Harmonic Distortion	<2 % THD (Linear Load); <5 % THD (Non-linear Load)
		Battery low voltage, abnormal power supply, ups failure
, over load		
		LCD DISPLAY INDICATING (input & out voltage /
11	LCD INDICATION	input & out frequency, load watt/ va percent, inverter temperature) OPERATION MODE SUCH AS: ONLINE
		, ON BATTERY , ON BYPASS
		The system must be capable of providing requisite battery
12	Battery Back-up &	back-up time of 30 minutes using Sealed Maintenance
	Other Details	Free Batteries.(Minimum VAH: 1872)
		CE & FCC. Electrical License of the OEM.OEM should
		have valid E-Waste Certificate (EPR Authorization from
		CPCB, Govt. of India). All these certificates to be
		enclosed, and please be noted that, certificate issuing
		from Indian Agency for each of the product/Model
13	Certifications	offered. (Foreign certification agencies have to issue the
		certificate from their Indian subsidiary).
		The offered UPS model should have CE & RoHS.
		Compliance from Indian agency. Certificate should be
		enclosed
	After Sales Support	UPS OEM should have a dedicated Toll Free No. for
14	& Manufacturer's	service call logging & resolution.
	Credibility	Required One Year warranty onsite.
L	1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

		UPS should be manufactured in India and declaration in OEM letterhead certifying product quoted is manufactured in India (DMEP). OEM should have Valid Electrical license.	
15	Authorization	Bidder should enclose tender specific MAF with the technical bid	

Signature:	Date
Name :	
Address:	
Mobile No.	

The Registrar	
Dibrugarh University	
Dibrugarh	
Ref: NIT no	dated
Sub: Financial Bid	

Sir,

In reference to the NIT cited above, the undersigned would like to submit the Financial Bid as per the unit price, taxes, quantity *etc*.

Item No.	DESCRIPTION OF GOODS WITH DETAILS OF SPECIFICATIONS	Qty.	Per Unit Price (INR)	GST (INR)	Total Amount (INR)
01					
02					
03					

This is for your kind perusal and acceptance please.

Signature Seal	
Date:	

Place:

COMPLIANCE SHEET

Supply, installation and commissioning of a Server under SERB SURE Project, Department of Physics at Dibrugarh University.

1. High End Workstation

Sl No	Parameter	Minimum required specification	Compliance/Non-Compliance
1	Form factor	Tower	
2	Processor	1xIntel Xeon W7-2495X (2.5 GHz	
		base frequency, up to 4.6 GHz with	
		Intel Turbo Boost Technology, 45 MB	
		L3 cache, 24 cores, 48 threads)	
3	Chipset	Intel compatible chipset with 8 DMI	
		lanes, x1,x2,x4 PCI express	
		configuration and 28 PCI express	
		lanes	
4	RAM	64 GBECC, DDR5, 4800	
		ECCmemory, supporting up to 512	
		GB ECC RAM	
		System should support 8 DIMM slots.	
5	Hard Disk	2x 2TB 7200 RPM HDD, Option for	
		future expansion of additional Hard	
	0.11.10.	drives	
6	Solid State	512 GB Solid State Drive, 6Gb/s	
	Drive	ar. DVD DOM	
7	Optical Drive	Slim DVD ROM	
8	Slots	(a) 1 PCIe 5 x16;	
		(b) 2 PCIe 4 x16;	
		(c) 2 PCIe 4 x4 (Rear bulkhead access	
		can be achieved through all slots but 2	
		PCIe 4 x8, and 2 PCIe 4 x8 are	
		internal access only for M.2 (1 PCIe 4 x16 available when 2nd CPU is not	
		installed; 1 PCIe 3 x16 available only	
		when 2nd CPU is installed).)	
9	Ports	Front:2 SuperSpeed USB Type-C	
	10165	20Gbps signaling rate (USB Power	
		Delivery); 2 SuperSpeed USB Type-A	
		5Gbps signaling rate; 1	
		headset/microphone combo	
		Rear: 1 RJ-45; 1 audio-in/out	
10	Bays	Internal: One 3.5"; Four PCIe® M.2	
		SSD; Three 3.5" HDD	
11	Keyboard and	Minimum 104 keys USB Keyboard	
	Mouse	and USB Optical Scroll mouse -	
		Same make as that of the workstation	
		(No stickers/paint will be allowed)	
12	Audio	High Definition Integrated Audio with	

		Internal speaker.	
13	Monitor	TCO 7.0, Epeat gold, Energy star	
13	Monitor	certified 23.8-inch monitor (Same	
		make as workstation), with resolution	
		of 1920 x 1080 (FHD) (No	
		stickers/paint will be allowed)	
14	Power Supply	Minimum 1125W (@100V/15A or	
1.	1 ower suppry	200V/10A)with minimum 90%	
		Efficient Power supplywith 80 plus	
		Gold compliant. (Delta Efficiency	
		report should be enclosed)	
		,	
		EPEAT certification for the system	
		model. (EPEAT certificate should be	
		enclosed with the technical bid)	
15	Dust Filter	OEM should provide serviceable dust	
		filter for avoid workstation failures	
		due to dust and it should be connected	
		into the workstation. (Part code	
		should be mention in the technical	
		compliance)	
16	Operating	Linux Operating system	
	System		
17	Chassis	Tool-less internal chassis	
10	OFM C : 1	mechanisms.	
18	OEM Criterial	Quoted OEM must have service	
		centers in Assam and quoted OEM have presence in India for minimum	
		10 years.	
19	Authorization	Bidder should enclose tender specific	
		authorization certificate by	
		mentioning NIT no in OEM letterhead	
20	Warranty	4 years onsite parts and labor	5
		warranty for system and monitor	
	3 KVA onl	ine UPS with 1872 VAH	
Sl	Parameter	Minimum Required Specification	
No		3 KVA On-Line UPS Should have	
	Configuration	IGBT BOTH INVERTER &	
1	and capacity	RECTIFIER STAGE, inbuilt cold	
	and capacity	start function and 3 KVA & 0.80	
		HIGH FREQUENCY DOUBLE	
2	Technology	CONVERSION DESIGN, EMI/RFI	
-	- 2201083	NOISE FILTER	
	0	110-300 VAC (Based on load at 50%),	
3	Operating Value Parent	160-300 VAC (Based on load at	
	Voltage Range	100%)	
	Operating	46 - 54 ±0.5Hz OR 56 -65 ±0.5Hz	
4	Frequency	AUTO SENSING	
	Range (HZ)	AUTOBERBINO	
5	Output Voltage	220/230/240 ±1%	
6	Output	50 Hz/ 60 Hz ±0.2% ON BATTERY	

	Frequency	MODE	
7	Overload Capacity	>110%, 30 SECNDS TURN TO BYPASS MODE,>150% 300 MILI SECNDS TURN TO BYPASS MODE	
8	Efficiency	> 91%	
9	Harmonic Distortion	<2 % THD (Linear Load); <5 % THD (Non-linear Load)	
10	Audible Alarms	Battery low voltage, abnormal power supply, ups failure, over load	
11	LCD INDICATION	LCD DISPLAY INDICATING (input & out voltage / input & out frequency , load watt/ va percent , inverter temperature) OPERATION MODE SUCH AS : ONLINE , ON BATTERY , ON BYPASS	
12	Battery Back- up & Other Details	The system must be capable of providing requisite battery back-up time of 30 minutes using Sealed Maintenance Free Batteries.(Minimum VAH: 1872)	
13	Certifications	CE & FCC. Electrical License of the OEM.OEM should have valid E-Waste Certificate (EPR Authorization from CPCB, Govt. of India). All these certificates to be enclosed, and please be noted that, certificate issuing from Indian Agency for each of the product/Model offered. (Foreign certification agencies have to issue the certificate from their Indian subsidiary). The offered UPS model should have CE & RoHS. Compliance from Indian agency. Certificate should be enclosed	
14	After Sales Support & Manufacturer's Credibility	UPS OEM should have a dedicated Toll Free No. for service call logging & resolution. Required One Year warranty onsite. UPS should be manufactured in India and declaration in OEM letterhead certifying product quoted is manufactured in India (DMEP). OEM should have Valid Electrical license.	
15	Authorization	Bidder should enclose tender specific MAF with the technical bid	

ANNEXURE-IV

TECHNICAL BID - CHECK LIST

Sl. No	Particulars	Mention 'Yes' / 'No'	Page no.
1.	Whether "Technical Bid" & "Financial Bids" submitted separately		
	and the respective envelopes superscribed properly		_
2.	Whether Tender Fee submitted? (if applicable).		
3.	Whether EMD submitted? (if applicable)		
4.	Whether MSME/NSIC/SSI certificate submitted? (in case of		
	seeking Exemption)		
5.	Whether copy of PAN submitted?		
6.	Whether valid Trade License or Certificate of Incorporation or		
	Partnership Deed submitted?		
7.	Whether GST regn. Certificate provided?		
8.	Whether dealership/OEM certificate provided?		
9.	Whether detailed compliance sheet submitted?		
10.	Whether technical specification/ Literature provided?		
11.	Whether declaration regarding Non-Blacklist of Bidder/OEM		
	anywhere in India or abroad on Bidders Letterhead submitted?		
12.	Whether the firm has a permanent establishment in Assam?		
	(Documentary proof to be submitted)		

All above enclosures must be valid (wherever applicable)	
Date:	Name & Signature of the tenderer with

Place:

Note: Tenders not accompanied with above information & documents in support of the same may be summarily rejected.

seal